PRODUCT DATA SHEET

WALL PRESS

PRODUCT DESCRIPTION

The ratchet-operated Wall press is an essential tool for tradespeople. Whether you're straightening a crooked wall or installing prefabricated timber elements, the Wall press allows you to position timber wall elements quickly and easily.

ADVANTAGES

- Minimal marks left on the wood thanks to fixing with

Wood construction screws

- Suitable for types of wood with an increased risk of cracking and splitting
- Easy straightening of components
- 90° angle as a stop point
- Large contact surface to prevent the Wall press from being pressed into the wood

SPECIFICATIONS

- Stop bracket

  → 10 x slotted holes, 8.5 mm each
- Fixing plate

  → 4 x Ø 8.5 (wood fixing)

  → 1x Ø 11 (concrete fixing)

© by E.u.r.o.Tec GmbH · Last updated 09/2026 · Subject to changes, additions, typesetting and printing errors.

E.u.r.o.Tec GmbH • Unter dem Hofe 5 • D-58099 Hagen
Tel. +49 2331 62 45-0 • Fax +49 2331 62 45-200 • E-Mail info@eurotec.team

PRODUCT DATA SHEET WALL PRESS

IMAGES OF APPLICATIONS



Note
If the panel comes loose, an additional screw can be inserted into the slotted hole.

© by E.u.r.o.Tec GmbH · Last updated 09/2026 · Subject to changes, additions, typesetting and printing errors.

E.u.r.o.Tec GmbH • Unter dem Hofe 5 • D-58099 Hagen
Tel. +49 2331 62 45-0 • Fax +49 2331 62 45-200 • E-Mail info@eurotec.team

PRODUCT DATA SHEET

WALL PRESS

TECHNICAL INFORMATION





PRODUCT TABLE

Wall press		
Art. no.	Span [mm]	PU
954059	max. 397	1

If you are unfamiliar with the application of this product, particularly its intended use, please be sure to contact our Application Engineering department (technik@eurotec.team).

© by E.u.r.o.Tec GmbH · Last updated 09/2026 · Subject to changes, additions, typesetting and printing errors.

E.u.r.o.Tec GmbH • Unter dem Hofe 5 • D-58099 Hagen
Tel. +49 2331 62 45-0 • Fax +49 2331 62 45-200 • E-Mail info@eurotec.team